EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(access and point and mobile and display$3 and input $4 and administrator $1 and request$4). clm.	US-PGPUB	OR	OFF	2008/08/12 12:16
L2	1614	(authentic$7 authori $9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near5 (display$3 screen$1 monitor$1) near6 (access near3 (device$1 point$1 node$1 system$1))	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L3	23478	(authentic$7 authori $9 reject$4 disallow $9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify $3 alert$1 warn$3 response$1 respond $3 answer$1) with (enter$3 input$3 keyboard$1) with (operator$1 administrat$4 manager$1 supervisor $1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L4	145	L3 and L2	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L5	66	L4 and (mobile$1 pda handheld$1 cellular $1 phone$1 laptop $1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16

L6	16272	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify$3 alert$1 warn$3) with (enter$3 input$3 keyboard$1) with (operator$1 administrat$4 manager$1 supervisor$1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L7	308063	(authentic$7 authori$9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near5 (display$3 screen$1 monitor$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L8	15596	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify$3 alert$1 warn$3) with (enter$3 input$3 keyboard$1) with (operator$1 administrat$4 manager$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L9	7672	(request$3 establish$3 connect$4 communicat$4 inquir$3) with (access near3 (device$1 point$1 node$1 system$1)) with (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16

L10	113907	(reject$4 disallow$9 non-allow$9 unallow $8 result$3 fail$4 notification$1 notify $3 alert$1 warn$3 response$1 respond $3 answer$1) near6 (operator$1 administrat$4 manager$1 supervisor $1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L11	30139	L10 and (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L12	18	L5 and L9	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L13	16500	(request$3 establish $3 inquir$3) with (access connect$4 communication$1 authenticat$4 authori $9 certification$1 certify$3 valid$6 verification$1 verify $3) with (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L14	309478	(authentic$7 authori $9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near5 (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16

L15	17359	(reject$4 disallow$9 non-allow$9 unallow$8 result$3 fail$4 notification$1 notify$3 alert$1 warn$3 response$1 respond$3 answer$1) with (enter$3 input$3 keyboard$1 touchscreen$1 (touch near3 screen$1)) with (operator$1 administrat$4 manager$1 supervisor$1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L16	366	L15 and L13	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L17	311	L16 and L14	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L18	21861	access near3 point$1	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L19	958	L10 near6 (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L20	40	L17 and L19	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L21	648	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 result$3 fail$4 deny$3 deni$3) near6 (enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) near5 (administrat$4 manager$1 supervisor$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L22	245	(mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1) and L21	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L23	21	L22 and L18	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L24	19	L23 and (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16

L25	2888	(mobile$1 pda handheld$1 cellular $1 phone$1 laptop $1) with ((access near3 point$1))	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L26	1	L25 and L21	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L27	5160	(authentic$7 authori $9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) with (display$3 screen $1 monitor$1 lcd) with (mobile$1 pda handheld$1 cellular $1 phone$1 laptop $1) with (connect$4 acess$1 (access near point$1) communicat $4)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L28	13117	(authentic$7 authori $9 reject$4 disallow $9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify $3 alert$1 warn$3 response$1 respond $3 answer$1 deny$3 deni$3) near6 (enter $3 input$3 keyboard $1 touchscreen$1 (touch near2 screen) lcd) near5 (operator $1 administrat$4 manager$1 supervisor $1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L29	114	L28 and L27	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16

L30	23996	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 instruct$4 result$3 fail$4 notification$1 notify$3 alert$1 warn$3 response$1 respond$3 answer$1 deny$3 deni$3) with (enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) with (operator$1 administrat$4 manager$1 supervisor$1 engineer$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L31	259	L30 and L27	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L32	8852	(request$3 establish$3 inquir$3) near8 (access connect$4 communication$1 authenticat$4 authori$9 certification$1 certify$3 valid$6 verification$1 verify$3) near8 (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L33	390	L28 and L32	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L34	133	L33 and (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L35	117	L34 and L10	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L36	101	L35 and (lan (local near2 network$1) network$1 wan intranet)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L37	24377	(access authenticat$4 authori$8 certif$9 validat$4) near3 point$1	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16

L38	5222	(mobile$1 pda handheld$1 cellular $1 phone$1 laptop $1) with ((access near3 point$1) vicinity)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L39	309478	(authentic$7 authori $9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1 information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near5 (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L40	12670	(request$3 establish $3 inquir$3) near8 (access connect$4 communication$1 authenticat$4 authori $9 certification$1 certify$3 valid$6 verification$1 verify $3) near8 (mobile$1 pda handheld$1 cellular$1 phone$1 laptop$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L41	1688	L18 and L40	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L42	731	L41 and L39	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L43	51	L28 and L42	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16

L44	1398	(authentic$7 authori$9 reject$4 disallow$9 non-allow$9 unallow$8 result$3 fail$4 notification$1 notify$3 alert$1 warn$3 response$1 respond$3 answer$1 deny$3 deni$3) near6 (enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) near5 (administrat$4 manager$1 supervisor$1)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L45	16765	(authentic$7 authori$9 certify$3 certification$1 password$1 passphrase$1 pin id identification$1 identifier$1) near7 (information$1 data content$1 context$1 text$1 descript$4 describ$3 valid$7 request$3 inquir$4) near7 (display$3 screen$1 monitor$1 lcd)	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L46	11	L44 and L45 and L37	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L47	21146	((726/2-6) or (726/17) or (726/21) or (726/27-30) or (726/34) or (455/3.01) or (455/456.5) or (455/456.6) or (455/457) or (455/463) or (455/556.2) or (455/554.1) or (455/554.6) or (455/566) or (709/203) or (709/217) or (709/219) or (709/223) or (709/225) or (713/161) or (713/168-170)).	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16

		CCLS.				
L48	531	L47 AND ((mobile$1 pda handheld$1 cellular$1 wireless laptop$1) with (access near3 point $1))	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L49	3	L48 and ((authentic $7 authori$9 reject$4 disallow$9 non-allow $9 unallow$8 fail$4 notification$1 notify $3 response$1 respond$3 answer$1 deny$3 deni$3) with (enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) with (administrat$4 manager$1 supervisor $1))	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L50	1488	L47 and L40	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L51	178	L50 and L45	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L52	17	L51 and ((enter$3 input$3 keyboard$1 touchscreen$1 (touch near2 screen) lcd) near5 (administrat$4 manager$1 supervisor $1))	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16
L53	7	Shinya near3 kimura	USPAT; IBM_TDB	OR	OFF	2008/08/12 12:16

8/12/08 12:34:59 PM
C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 09846907a.wsp